

APPLICATION FOR

UNITED STATES LETTERS PATENT

SPECIFICATION

INVENTOR(s): Takahiro MATSUDA, Shoji SUZUKI,  
Shigefumi YAMADA and Masahiro MORI

Title of the Invention: DEVICE FOR RETAINING IMPORTANT DATA  
ON A PREFERENTIAL BASIS

**DEVICE FOR RETAINING IMPORTANT DATA ON A PREFERENTIAL BASIS****Background of the Invention****Field of the Invention**

5           The present invention relates to a data storage device for recording data used in information equipment.

**Description of the Related Art**

10           With the recent development and spread of information equipment, there has been a rapid increase in the amount of data to be stored in a storage device in the equipment. In general, storage devices are subject to a limitation on their storage capacity. When the storage capacity is exhausted, users have to add a new storage device or medium or delete data already stored.

15           To cope with the limited storage capacity, conventional supervisory camera systems adopt a method which involves automatically deleting old image data and then writing new image data.

20           FIG. 1 illustrates a method to delete files in conventional information equipment. The information equipment 11 is composed of a CPU (Central Processing Unit) 12, a memory 13, an input/output device 14, and a storage device 15, which are all interconnected by a bus 16. When

25           a new file 17 is added to the storage device 15, an old

file is deleted automatically and the file 17 is then written into the vacated memory area.

However, with information equipment, such as a personal computer (PC), old data is not always garbage.

5 Deleting a file in the same way as above may result in loss of important data. Therefore, the demand has increased for reserving free storage space automatically taking into account the significance of data.

#### 10 **Brief Summary of the Invention**

It is an object of the present invention to provide a data storage device which allows important data to be retained on a preferential basis and the limitation on storage capacity to be concealed.

15 A data storage device of the present invention comprises a data storage unit, a rule setup unit, an assignment unit, and a reduction unit.

The data storage unit stores a plurality of files each having a plurality of attributes. The rule setup unit stores a ranking rule for ranking the files for each of their attributes. The assignment unit assigns reduction ranking to each of the files on the basis of the ranking rules associated with the attributes. The reduction unit reduces data in each file according to the  
20 reduction ranking when the storage capacity of the data  
25

storage unit is insufficient for new data storage.

#### **Brief Description of the Several Views of the Drawing**

FIG. 1 is a diagram for use in explanation of a  
5 conventional method to delete a file;

FIG. 2A is a diagram for use in explanation of the  
principles of a data storage device of the present  
invention;

FIG. 2B is a diagram for use in explanation of a  
10 method to delete files in accordance with the present  
invention;

FIG. 3 shows the arrangement of information  
equipment;

FIG. 4 shows recording media;

15 FIG. 5 shows file attributes;

FIG. 6 shows information in the rule setup section;

FIG. 7 is a flowchart of the first ranking  
determination processing;

FIG. 8 shows an editing processing;

20 FIG. 9 is a flowchart of the first reduction  
processing;

FIG. 10 shows weight tables;

FIG. 11 is a flowchart of the second ranking  
determination processing;

25 FIG. 12 shows a file monitoring section;

FIG. 13 shows a file reduction ranking table;

FIG. 14 is a flowchart of the second reduction processing;

5       FIG. 15 is a diagram for use in explanation of a method to delete partly a file;

FIG. 16 shows a plurality of reduction processes;

FIG. 17 shows a table of the ranking of processing algorithms;

10       FIG. 18 is a flowchart of the third reduction processing;

FIG. 19 shows a virtual file and real data;

FIG. 20 is a flowchart of the restoration processing;

FIG. 21 shows a buffer area;

15       FIG. 22 is a flowchart of the fourth reduction processing;

FIG. 23 shows a reduction speed table; and

FIG. 24 is a flowchart of the fifth reduction processing.

## 20       **Detailed Description of the Invention**

First, the principles of a data storage device of the present invention will be described with reference to FIG. 2A. The data storage device comprises a data storage unit 21, a rule setup unit 22, an assignment unit 25       23, and a reduction unit 24. The data storage unit 21

stores a plurality of files. The rule setup unit 22 stores a ranking rule for ranking the files for each of their attributes. The assignment unit 23 assigns reduction ranking to each of the files on the basis of the ranking rules associated with the attributes. The reduction unit 24 reduces data in the files according to reduction ranking when the storage capacity of the data storage unit 21 becomes insufficient.

To each file stored in the data storage unit are attached attributes, such as date, type, capacity (size), etc. The rule setup unit 22 stores a predetermined ordering rule associated with each attribute. The assignment unit 23 determines the reduction ranking with reference to the ranking rules in the rule setup unit 22.

When the storage capacity is found to be insufficient on the occurrence of a request for writing into the data storage unit 21, the delete unit 24 selects files to be processed according to the reduction ranking and then automatically reduces data in the selected files. The methods for reducing data include file deletion, data compaction, document summarization, and file saving.

According to such a data storage device, a file of higher importance can be ranked lower in the reduction ranking, allowing the files to be subjected to data reduction in sequence beginning with the least important

file. Therefore, important data can be retained on a preferential basis and the limitation on storage capacity can be hidden.

The data storage unit 21, the rule setup unit 22, the assignment unit 23 and the reduction unit 24 in FIG. 2A correspond to a storage section 42, a rule setup section 46, a priority processing section 44, and a data reduction section 45, respectively, in FIG. 3, which will be described later.

The present embodiment determines the importance of each file according to predetermined rules based on file attributes in the storage device and reduces data in the files in the order of their importance beginning with a file of the least importance. Thereby, the retention of important data and the removal of limitation on storage capacity can be made compatible with each other.

FIG. 2B shows such a file reduction method. Information equipment 31 of FIG. 2B comprises a CPU 32, a memory 33, an input/output device 34, and a storage device 35, which are interconnected by a bus 36. This information equipment corresponds to any type of computer-based equipment.

The memory 33 comprises a ROM (read only memory), a RAM (random access memory), etc., and stores programs and data used in data processing. The CPU 32 executes

the programs using the memory 33 to perform required processes. The input/output device 34 comprises a keyboard, a pointing device, a touch panel, a display, a printer, a speaker, etc., and is used for entry of commands and information from a user and outputting inquiries to the user and the results of processing.

The storage device 35 is a magnetic disk drive, an optical disk drive, a magneto-optical disk drive, or a tape drive. The files in the storage device are ranked in ascending order of importance beginning with the least important file. When the storage capacity is running short with the addition of a new file 37, the files are automatically deleted in sequence beginning with a file 38 (unnecessary file) high in rank to reserve a storage space required for writing in the new file 37.

FIG. 3 shows the more detailed internal arrangement of the information equipment 31 of FIG. 2B. The storage device 35 comprises a control section 41 and a storage section 42. The control section 41 includes a file system 43, a priority processing section 44, a data reduction section 45, and a rule setup section 46. The file system 43, the priority processing section 44 and the data reduction section 45 correspond to program-described software that is executed by a processing unit (not shown) provided in the control section 41.



The file system 43 manages files stored in the storage section 42. The rule setup section 46 is stored with data on rules for priority. The priority processing section 44 determines the importance of the files in the storage section 42 according to the priority rules. The data reduction section 45 deletes files in sequence beginning with the least important file when the storage capacity is insufficient for data entry from the user 51.

To the bus 36 are further connected a medium drive device 52 and a network connector 53. The medium drive device 52 drives a portable recording medium 54 for access to its recorded contents. The portable recording medium may be any type of computer-readable recording medium, such as a memory card, a floppy disk, a CD-ROM (compact disk read only memory), an optical disk, a magneto-optical disk, or the like. The user 51 prestores programs and data on the portable recording medium and loads them into the memory 33 and the control section 41 when necessary.

The network connector 53 is connected to a communications network such as a local area network (LAN) and provides data conversion for communications. The information equipment 31 receives programs and data via the network connector 53 from another device, such as a server, and loads them into the memory 33 and the control section 41 when necessary.

FIG. 4 shows computer-readable recording media that supplies programs and data to the information equipment 31 of FIG. 3. The programs and data stored on the portable recording medium 54 or in a database 56 of a server 55 are loaded into the information equipment 31. In this case, the server 55 produces a propagation signal to propagate the programs and data and transmits it through an arbitrary transmission medium over a network to the information equipment 31, which in turn executes the programs using the data.

The file reduction processing by the information equipment 31 of FIG. 3 will be described in greater detail below with reference to FIGs. 5 through 24.

First, to determine the importance of files, use is made of a plurality of file attributes as shown in FIG. 5 by way of example. The file attributes of FIG. 5 comprise file name, creation date, last access date, file type, capacity (size), and owner. These attributes are set up for each file. The creation date is the date on which the corresponding file was created. The last access date is the date on which the last access was made to the corresponding file. The file type is the sort of data the file contains (such as text, moving image, still image, voice, etc.). The owner is identification information for the user to whom that file belongs.

In the rule setup section 46, application ranking and rules for determining priority as shown in FIG. 6 by way of example are set up on the file attributes. The information of FIG. 6 comprises an application ranking table 61, a type ranking table 62, and an owner ranking table 63. The application ranking table 61 represents the order in which the attributes are applied in determining the importance of each file. Here, the attributes are ranked in the order of last access date, creation date, capacity, file type, and owner.

The priority rules represent ranking rules for determining the reduction ranking for the files. The higher a file ranks, the more preferentially it is deleted. Here, for the last access date and creation date, a rule is set up such that the older a file is, the higher it ranks. For the capacity, a rule is set up such that the larger a file is, the higher it ranks. For each of the file type and owner, a rule is set up such that the ranking of the files is determined according to the type ranking table 62 or the owner ranking table 63 and pointer information pointing to each of these tables is stored.

The type ranking table 62 defines the ranking of the file types. Here, the file types are ranked in the order of moving image, still image, voice, text, etc. The owner ranking table 63 represents the ranking of owners.

Here, the owners are ranked in the order of user 1, user 2, user 3, user 4, and user 5.

FIG. 7 is a flowchart of the ranking determination processing using such priority rules. The priority processing section 44 uses a priority rule for each attribute in the rank order of the attributes set up in the attribute ranking table to sort the files in the storage section 42 into the ascending order of importance and thereby determines the reduction ranking.

The priority processing section 44 first sorts files to be processed in the order of last access date beginning with the oldest (step S1) and then sorts the files of the same last access date in the order of creation date beginning with the oldest (step S2).

The priority processing section 44 next sorts the files of the same creation date in the decreasing order of capacity beginning with the largest (step S3) and then sorts the files of the same capacity according to the ranking of file types (step S4). Finally, the priority processing section sorts the files of the same file type according to the ranking of owners (step S5). Thus, the procedure comes to an end.

It should be noted that the file attributes shown in FIG. 5 and the rules for priority shown in FIG. 6 are merely exemplary and other file attributes and priority

rules can also be set up. For example, by providing an edit section 71 in the information equipment 31 as shown in FIG. 8, information in the rule setup section 46 can be edited (altered). The edit section 71 is implemented by a program, allowing the user to edit information in the rule setup section 46 and set up his or her own rules for priority.

FIG. 9 is a flowchart of the reduction processing by the data reduction section 45 when the storage capacity is found to be insufficient on the occurrence of a request for writing in a new file. The data reduction section 45 first acquires information about free storage space in the storage section 42 (step S11) and then makes a comparison between the amount of free storage space and a predetermined value (step S12). The default value may be the size of a file to be written in.

When the amount of free space is less than the default value, a request is made to the priority processing section 44 for determining the reduction ranking of the files (step S13). In response to this, the priority processing section 44 calculates the reduction ranking of the files according to the procedure of FIG. 7, then selects the least important file and notifies the data reduction section 45 of it. The data reduction section 45 deletes the corresponding file (step S14). The procedure then returns to step S12.

The procedure is repeated until the decision in step S12 indicates that the amount of free space has reached the predetermined value in step S12.

It will also be possible to determine the reduction ranking of the files by weighting each file attribute according to its importance in advance. FIG. 10 shows examples of weight tables that hold such weighting information. The weight tables hold weights for values of the respective attributes shown in FIG. 5 and are stored in the rule setup section 46.

For attributes that can take consecutive values like the last access date, creation date and capacity, their range of values is divided into a plurality of intervals and a weight is set up on each of the intervals. For the other attributes that take discrete values like the file type and owner, a weight is set up on each value. The importance of a file decreases as the weight for its attribute value increases.

FIG. 11 is a flowchart of the ranking determination processing using such weight tables. The priority processing section 44 calculates the total of weights for the attributes of each file on the basis of weight information in the weight tables and then determines the reduction ranking accordingly.

The priority processing section 44 first selects

one file to acquire attribute values of that file (step S21) and then acquires a weight for each attribute value from the weight table to calculate the total of the weights (step S22). After that, the files for which the weights have already been totalized are sorted in the decreasing order of totals (step S23) and a decision is then made of the presence or absence of the next file unprocessed (step S24).

In the presence of the unprocessed file, the procedure is repeated beginning with step S21. After all the files have been sorted, the procedure comes to an end. Thus, by repeating the procedure for each of the files in the storage section 42, the files can be ranked in order of increasing importance.

With the reduction processing as shown in FIG. 9, the reduction processing takes precedence over the data write processing; thus, the overall processing time will increase. Next, a description is given of a method of speeding up the processing.

FIG. 12 shows the arrangement of information equipment provided with a file monitoring section to speed up the reduction processing. In this information equipment, a file monitoring section 81 is provided instead of the priority processing section 44 of FIG. 3.

The file monitoring section 81, which is implemented

by a resident program by way of example, monitors the attributes of the respective files all the time. The file monitoring section 81 performs the ranking determination processing of FIG. 7 or 8 according to the priority rules in the rule setup section 46 during the idle time in the processing of reading from/writing into the storage section 42 and then stores the results into a file information section 82.

For example, such a file reduction ranking table as shown in FIG. 13 is created by sorting the files according to the ranking determination processing of FIG. 7. This table holds the attributes of the respective files in the descending order of reduction ranking and is stored in the file information section 82.

FIG. 14 is a flowchart for the reduction processing using such a file reduction ranking table. The data reduction section 45 first acquires information about the amount of free storage space in the storage section 42 (step S31), then initializes a counter  $n$  representing the reduction ranking to one (step S32) and makes a comparison between the amount of free storage space and a predetermined value (step S33).

When the amount of free storage space is less than the default value, the data delete section refers to the file reduction ranking table to obtain a file name



corresponding to the reduction rank  $n$  (step S34) and then deletes the file having that name (step S35). Next,  $n$  is incremented by one (step S36) and the procedure is then repeated beginning with step S33 until the amount of free storage space reaches the predetermined value.

According to such reduction processing, since reference is simply made to the previously created file reduction ranking table, there is no need to calculate the reduction ranking for each file as in the processing of FIG. 9. The reduction processing can therefore be speeded up.

To reserve storage space, it will also be possible to delete only a portion of data in a file as opposed to deleting all the data. FIG. 15 shows a method to delete a file partly. In this case, when the storage capacity becomes insufficient with the addition of a new file 37, a portion of data in each unnecessary file 38 is deleted in sequence, thereby reserving storage space required for writing in.

FIG. 16 shows the arrangement of information equipment having a plurality of reduction processes for such part file reduction processing. In the information equipment 31 of FIG. 16, the data reduction section 45 holds a plurality of reduction processes 91 each of which is based on a respective one of separate processing

algorithms. The processing algorithms include data compaction, document summarization, file saving, file deletion, etc. The reduction processes 91 are each installed in the form of a program-described software component.

The data compaction is subdivided into reversible compaction, irreversible compaction, image information degeneracy (color degeneracy, resolution reduction, etc.), etc., each of which is installed as a separate reduction process. The algorithm for document summarization may be any one. For example, according to a method for document summarization disclosed in Unexamined Japanese Patent Publication No. 10 - 207891, a summary is created by extracting from a document parts relevant to information to which the document creator calls user's attention and information to which the user pays attention.

The file saving is a process of transferring a file to a separate storage device in the information equipment 31, a storage device on a network, the portable recording medium 54, etc. The file deletion is a process of deleting all the data in a file.

The data reduction section 45 selects suitable files for each of the reduction processes 91 to perform as little data reduction as possible so that the contents of files

are retained as much as possible. In this case, the file information section 82 is provided with a data reduction ranking table in a form similar to the file reduction ranking table shown in FIG. 13 and a processing algorithm ranking table.

FIG. 17 shows an example of a processing algorithm ranking table. In this table are set up the ranks assigned to the reduction processes 91, the algorithm names (identification information for the processes) and the types of files to be processed. The file type labeled "ALL DATA" indicates that the corresponding algorithm can be applied to all types of files. The irreversible compaction names C1 and C2 correspond to compaction algorithms for image data and voice data, respectively.

FIG. 18 is a flowchart for the reduction processing using such a processing algorithm ranking table. The data reduction section 45 determines a combination of a reduction process and a file subjected to data reduction on the basis of the application ranking of the reduction processes entered into the processing algorithm ranking table and the reduction ranking of files entered into the data reduction ranking table.

The data reduction section 45 first acquires information about free storage space in the storage section 42 (step S41), then initializes both of a counter m

representing the application ranking of a reduction process and a counter  $n$  representing the reduction ranking of data to one (step S42) and makes a comparison between the amount of free storage space and a predetermined value (step 43).

If the amount of free storage space is less than the predetermined value, the data reduction section 45 refers to the processing algorithm ranking table to select a reduction process corresponding to the rank  $m$  (step S44) and then refers to the data reduction ranking table to obtain a file name corresponding to  $n$  (step S45). A check is then made as to whether or not the file type associated with the selected reduction process involves the type of the file of the rank  $n$  (step S46).

If the file type associated with the selected reduction process involves the type of the file of the rank  $n$ , then data in that file is reduced using the reduction process (step S47). Next,  $n$  is incremented by one (step S48) and a comparison is then made between  $n$  and the number of files entered into the data reduction ranking table (step S49). If  $n$  is not more than the number of files, the procedure returns to step S43.

If, in step S47, the file type associated with the selected reduction process does not involve the file type of the file of the rank  $n$ , then the procedure goes to step

S48. Thereby, the next file is selected as a target of processing.

If, in step S49,  $n$  is greater than the number of files, then  $m$  is incremented by one with  $n = 1$  (step S50) and the procedure returns to step S43. If the decision in step S43 is that the amount of free storage capacity is not less than the predetermined value, then the procedure comes to an end.

According to such reduction processing, the previously created data reduction ranking table can be referenced to speed up the processing as in the reduction processing in FIG. 14. Even with a file of low importance, a portion of its data can be left and referred to at a later time. Particularly, in the case of data reduction using reversible compaction or file saving, an original file can be restored, as required, by data restoration processing.

A file that can be restored is retained in such a form as shown in FIG. 19. As shown, when an original file 101 is subjected to data reduction, data relating to the file with reduced data is retained with separation into a virtual file 102 and real data 103.

The virtual file 102 holds file information of the file after processing and is stored into the storage section 42. The file information contains the information

of the original file 101, such as file name, type, date (creation date, last access date), and capacity, link information (pointer) that points to the real data 103, and the processing algorithm name associated with the reduction process.

The file data after processing is not contained in the virtual file 102 but is retained in the real data 103. For example, in the case of reversible compaction, the real data 103 corresponds to compacted data and is stored in the storage section 42. In the case of file saving, the real data 103 corresponds to data in the original file 101 and is retained on a medium used for saving.

FIG. 20 is a flowchart for the restoration processing carried out when a file thus retained is called by the user. When the user selects a virtual file (step S51), the file system 43 first reads in the link information and the processing algorithm name from the file information for the selected virtual file (step S52).

The file system next reads in the real data pointed to by the link information (step S53) and selects a restoration processing algorithm corresponding to the processing algorithm name (step S54). Finally, the file system 43 restores the original file and presents it to the user (step S55).

FIG. 21 shows the arrangement of information

equipment which is provided with a buffer area to speed up the data write processing. In this equipment, a fixed free area 111 has been reserved beforehand as a buffer in the storage section 42 and is used for temporarily writing in data when the storage capacity is running short. The capacity of the buffer area 111 is excluded from the storage capacity of the storage section 42.

FIG. 22 is a flowchart for the reduction processing using such a buffer area. After data has been written into the buffer area, the reduction ranking of the files is determined.

The data reduction section 45 first acquires information about free storage space in the storage section 42 (step S61) and then makes a comparison between the amount of free storage space and a required amount of storage (step S62). As the required amount of storage use is made of the capacity (size) of a file to be written in by way of example.

If the amount of free storage space is less than the required amount, then data is first written into the free storage space of the storage section 42, and then the remaining data is written into the buffer area 111 (step S63). Next, as in step S13 in FIG. 9, a request is made to the priority processing section 44 for determining the ranking and information of a file of the

least important is then received (step S64).

That file is then deleted (step S65). A comparison is made again between the amount of free storage space and the required amount (step S66). The amount of free storage space in this case corresponds to the total amount of deleted data and the required amount corresponds to the amount of data stored in the buffer area 111.

If the amount of free storage space is less than the required amount, then the procedure returns to step S64. If the amount of free storage space is equal to or more than the required amount, then the data in the buffer area 111 is written into the free storage space (step S67) and then the data in the buffer area 111 is deleted (step S68). Thus, the procedure is terminated. If, on the other hand, the amount of free storage space is more than the required amount from the beginning in step S62, then all the data is written into the free storage space (step S69) and the procedure is terminated.

According to such reduction processing, when the free storage space is insufficient, part of data is written into the free storage space, then the remaining data is written into the buffer area 111 and the reduction processing is performed. Therefore, the data writing is not deferred until the termination of the reduction processing, allowing the overall processing time to be



reduced.

Next, a description is given of a method to speed up the processing by specifying the time required for the data reduction processing. First, the waiting time for the start of writing is set. The waiting time may be set as a system default value or may be set arbitrarily by the user. The data reduction section 45 completes the reduction processing during the waiting time. In this case, the control section 41 in the storage section 35, at the time of idling, sets up a reduction speed table in which the reduction speed is recorded for each file and stores it into the file information section 82.

FIG. 23 shows an example of such a reduction speed table. In this table, the file names are sorted according to the reduction ranking shown in FIG. 13 and the data reduction speed is set correspondingly to a combination of a file name and a reduction process. Here, processes P1, P2, P3 and P4 correspond to identification information for the reduction processes 91 shown in FIG. 16. For example, when "File7" of the first rank is processed by the process P1, data is reduced at a rate of 29K bytes per second.

FIG. 24 is a flowchart for the reduction processing using such a reduction speed table. The data reduction section 45 calculates a target reduction speed, then makes

a comparison between the target reduction speed and each reduction speed entered into the table and determines a combination of a reduction process and a file of the reduction target.

5           The data reduction section 45 acquires information about free storage space in the storage section 42 (step S71) and then initializes the counter n, indicating the reduction ranking, to one (step S72).

10           Next, a target reduction speed a required to make up a shortage of storage space is calculated based on the set waiting time (step S73). For example, with a waiting time of 20 seconds and a shortage of 500K bytes, the reduction speed a is calculated by

15           a = shortage of storage space/waiting time  
               = 500 Kb/20 s  
               = 25 Kb/s

20           Next, a comparison is made between the amount of free storage space and a predetermined value (step S74). If the amount of free storage space is less than the predetermined value, then reference is made to the reduction speed table to obtain the reduction speed corresponding to the first reduction process for a file of rank n and the value of the reduction speed is set in b (step S75). A comparison is then made between a and  
 25           b (step S76).

If  $a$  is more than  $b$ , the reduction speed associated with that reduction process is less than the target reduction speed and hence reference is made to the reduction speed table to check whether the reduction speed associated with the next reduction process has been entered (step S77). If so, it is acquired (step S75) and step S76 is then repeated. On termination of comparison of the target reduction speed with the reduction speeds associated with all the reduction processes,  $n$  is incremented by one (step S78) to repeat the procedure beginning with step S75 for the next file.

If  $a$  is not more than  $b$  in step S76, then the file name corresponding to rank  $n$  is acquired (step S79). Data in the file is reduced by the reduction process corresponding to the reduction speed  $b$  (step S80). Next,  $n$  is incremented by one (step S81) and the procedure then goes to step S74. The procedure is repeated until the decision in step S74 indicates that the amount of free storage space has reached the predetermined value.

Note that the reduction speed table need not necessarily be provided and information concerning the reduction speeds for the files may be added to the file reduction ranking table. In this case, the data reduction section 45 will perform the reduction processing while referring to the file reduction ranking table instead of

the reduction speed table.

According to the present invention, a storage device  
for information equipment is provided which permits data  
of high importance to be retained on a preferential basis  
5 and the limitation on its storage capacity to be concealed.

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220  
2221  
2222  
2223  
2224  
2225